

Potency Test Report

Test Date 07/16/2022
Test Time 00:11:06

GPS lat 0
BATCH RVI200716
GPS long 0
HOS 0
IMAGES

Sample ID ReAction ReVitalize
Operator DH
Sample Type Topical
Type 200mg
Sample Weight (mg) 218;10
Temperature 88.6
Notes 10ml
Weight: mg/g 221

SUMMARY

TOTAL
CBD mg/Unit
221



THCA: ND

ΔD9THC ND

Total Potential Δ9THC: ND

Total THC: ND

CBN: ND

CBDA: ND

CBD: 18.00%


Total Potential CBD: 18.00%

Total CBD: 18.00%

CBGA: ND


CANNABINOID RATIO

0.00% 0.00%
0.00% 0.00%



Total 18.00%

CANNABINOID PROFILE



ISO 17025
ACCREDITED LABORATORY

Analyst Certification:

Chief Science Officer

MVP LABS



NCIHPP Registered

MVP Enterprises
T: (704) 659-3822

522 North Broad Street
Mooresville, NC 28115

www.mvphemp.com
mvp.nchemp@gmail.com

Potency Test Report


Test Date	4/23/2022
Test Time	12:21:25

GPS lat	0	GPS long	0
HOA	0	HOS	0
IMAGES			

Sample ID	SPD
Operator	DH
Sample Type	Custom
Strain	FSE Batch CR200417
Sample Weight (mg)	76;30
Temperature	85.7
Notes	0
Weight: mg/g	0.00



THCA:	ND	CBDA:	ND
Δ9THC	0.26%	CBD:	70.90%
Total Potential Δ9THC:	0.26%	Total Potential CBD:	70.90%
Total THC:	0.26%	Total CBD:	70.90%
CBN:	ND	CBGA:	ND



ISO 17025
ACCREDITED LABORATORY

Analyst Certification:

Chief Science Officer

MVP LABS



NCIHPP Registered

Certificate of Analysis

Test Date	04/17/2022
Test Time	00:09:24

Sample ID	ReAction Crude
Operator	DH
Sample Type	FSE Crude
Type	Sample Jar
Sample Weight (mg)	73;30
Temperature	87.9
Notes	Decarb
Weight: mg/g	Batch CR200417



Pesticides

Abamectin	NR	NR	Paclobutrazol
Bifenazate	NR	NR	Piperonyl Butoxide
Spinetoram	NR	NR	Dimethomorph
Ettoxazole	NR	NR	Myclobutanil
Fenhexamid	NR	NR	Spinosyn (D)
Fonicamid	NR	NR	Spirotetramat
Fludioxonil	NR	NR	Thiamectoxam
Imidacloprid	NR	NR	Trifloxystrobin
Spinosyn (A)	NR	NR	Pyrethrin (R1)

PPB PPB

Microbials

Yeast
Mold
E. coli
Coliform
Aerobic Bacteria
Enterobacteria

None Reported
None Reported
None Reported
None Reported
None Reported
None Reported
CFU/g

Residual Solvents

Isopentane	<5ppm	<5ppm	Acetonitrile
Propane	<5ppm	<5ppm	Tetrahydrofuran
Acetone	<50ppm	<5ppm	Toluene
Isobutane	<5ppm	<5ppm	Choloroform
Ethanol	<5ppm	<5ppm	C-Terracholoride
n-Heptane	<5ppm	<5ppm	Benzene
n-Hexane	<5ppm	<10ppm	M-xylene
n-Butane	<5ppm	<10ppm	P-xylene
n-Pentane	<5ppm	<10ppm	O-xylene
2-Propanol	<5ppm		

PPM PPM

Heavy Metals

82	Pb
Lead	207.2

0.00
PPM

48	Cd
Cadmium	112.414

0.00
PPM

80	Hg
Mercury	200.592

0.00
PPM

33	As
Arsenic	74.922

0.00
PPM

ISO 17025
ACCREDITED LABORATORY

Analyst Certification:

Chief Science Officer

MVP LABS



NCHIPP Registered

